Appliances

LIEBHERR Whirlood SIEMENS BOSCH



THE KITCHEN STUDIO

LIEBHERR FRIDGE – FREEZER ICBN 3356 177 x 55.9 x 54.4cm





The BioCool-Box allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. It is convenient-to-use and it ensures that stored food is clear visibility.



The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.



Accurate and independent temperature control of the fridge and freezer compartments is facilitated by DuoCooling : two separately adjustable cooling circuits. There is no air exchange between the fridge and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.



Drawers mounted on telescopic rails The drawers extend on smooth-running telescopic rails and can be conveniently removed at a door opening angle of 90°.

GlassLine door interior with VarioBoxes

The GlassLine door shelves feature a satin-finished safety glass base, elegantly shaped plastic edging, stainless steel trims, as well as bottle and jar storage with adjustable holders for extra safety. The two removable VarioBoxes are perfect for sorting and storing smaller items in a clearly visible manner. A drawer stop ensures that the VarioBoxes are secure and that they are not dislodged when items are accessed.



LIEBHERR FRIDGE - FREEZER ICBN 3376

177 x 55.9 x 54.4cm





The BioCool-Box allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. It is convenient-to-use and it ensures that stored food is clear visibility.



The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.



Accurate and independent temperature control of the fridge and freezer compartments is facilitated by DuoCooling : two separately adjustable cooling circuits. There is no air exchange between the fridge and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.

R 39 900

Drawers mounted on telescopic rails The drawers extend on smooth-running telescopic rails and can be conveniently removed at a door opening angle of 90°.

GlassLine door interior with VarioBoxes

The GlassLine door shelves feature a satin-finished safety glass base, elegantly shaped plastic edging, stainless steel trims, as well as bottle and jar storage with adjustable holders for extra safety. The two removable VarioBoxes are perfect for sorting and storing smaller items in a clearly visible manner. A drawer stop ensures that the VarioBoxes are secure and that they are not dislodged when items are accessed.



LIEBHERR FRIDGE – FREEZER IKBV 3264 with ice cube tray

177 x 55.9 x 56.4cm x 55cm





The BioCool-Box allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. It is convenient-to-use and it ensures that stored food is clear visibility.



The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.



Accurate and independent temperature control of the fridge and freezer compartments is facilitated by DuoCooling : two separately adjustable cooling circuits. There is no air exchange between the fridge and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.

R 39 900

Drawers mounted on telescopic rails The drawers extend on smooth-running telescopic rails and can be conveniently removed at a door opening angle of 90°.

GlassLine door interior with VarioBoxes

The GlassLine door shelves feature a satin-finished safety glass base, elegantly shaped plastic edging, stainless steel trims, as well as bottle and jar storage with adjustable holders for extra safety. The two removable VarioBoxes are perfect for sorting and storing smaller items in a clearly visible manner. A drawer stop ensures that the VarioBoxes are secure and that they are not dislodged when items are accessed.



LIEBHERR FRIDGE - FREEZER ICNF 5103

177 x 56-57 x 55cm



Easy Fresh	Duo Cooling	No Frost	Super Silent	Glass & Steel Interior	Smart Device ready

Energy efficiency class	F
Energy consump. in 365 days/24 h	283.60
Volume	
Total volume	253 litre ²
Fridge	183.3 litre
Freezer compartment	69.9 litre
Star coding	****
Temperature rise time	9 h
Freezing capacity in 24 hours	5 kg
Climate rating	SN-ST (+10°C to +38°C)
Airborne acoustical noise emissions	35 dB(A) / B, SuperSilent
Frequency/voltage	50 Hz / 220-240 V~
Connection Rating	1.4 A 183 W
Fridge compartment	
Forced air system	FreshAir activated charcoal filter
Interior light	LED ceiling light
Fruit and vegetable bins	1 EasyFresh-Safe on running rails
GlassLine Door interior	GlassLine
Freezer compartment	
Defrosting	automatic
Number of drawers	3 drawers, VarioSpace
Type of appliance	
Туре	Built-in for integrated use
Door assembly	Door on Dool
Dimensions	
Height	177.2-178.8 cm
Width	56-57 cm
Depth	min. 55 cm
Features	
Interface	SmartDeviceBox: optional accessory
Door hinges	right, reversible
EAN-Nr.	4016803043317

Price without Cupboards
(Fridge Freezer ONLY)Price with CupboardsR 39 588
Incl. VATR 34 309
Incl. VAT



LIEBHERR FRIDGE IRB e 5120

177 x 56-57 x 55cm



Bio Fresh	Soft System	Glass & Steel Interior	Smart Device ready
--------------	----------------	------------------------------	--------------------------

Model classification	10 1
Energy efficiency class	E
Energy consump. in 365 days/24 h	155.80
Volume	
Total volume	294 litre ²
Fridge	195.8 litre
BioFresh compartment	98.2 litre
Climate rating	SN-T (+10°C to +43°C)
Airborne acoustical noise emissions	37 dB(A) / C
Frequency/voltage	50 Hz / 220-240 V~
Connection Rating	1.2 A
Fridge compartment	
Forced air system	FreshAir activated charcoal filter
Interior light	LED ceiling light
Automatic SuperCool function	yes
BioFresh-Safes	3 BioFresh-Safes on telescopic rails, 2 Fruit &
	Vegetable-Safes, 1 Meat & Dairy-Safe
BioFresh	yes
GlassLine Door interior	GlassLine
Bottle shelf	Integrated bottle shelf
Type of appliance	
Туре	Built-in for integrated use
Door assembly	Door on Door
Dimensions	
Height	177.2-178.8 cm
Width	56-57 cm
Depth	min. 55 cm
Features	
Interface	SmartDeviceBox: optional accessory
Door hinges	right, reversible
EAN-Nr.	4016803043867

Price without Cupboards
(Fridge Freezer ONLY)Price with CupboardsR 44 387
Incl. VATR 38 469
Incl. VAT



LIEBHERR FRIDGE IRD di 5120

177 x 56-57 x 55cm



Easy FreshSuper SilentSoft SystemGlass & Steel InteriorSmart Device ready				Steel	Device
--	--	--	--	-------	--------

Energy efficiency class	E
Energy consump. in 365 days/24 h	114.30
Volume	
Total volume	309 litre ²
Climate rating	SN-T (+10°C to +43°C)
Airborne acoustical noise emissions	35 dB(A) / B, SuperSilent
Frequency/voltage	50-60 Hz / 220-240 V~
Connection Rating	1.2 A
Fridge compartment	
Forced air system	FreshAir activated charcoal filter
Interior light	LED ceiling light
Automatic SuperCool function	yes
Fruit and vegetable bins	1 EasyFresh-Safe on telescopic rails
	1 spacious fruit and vegetable drawer on telescopic
	rails
GlassLine Door interior	GlassLine
Type of appliance	
Туре	Built-in for integrated use
Door assembly	Door on Door
Dimensions	
Height	177.2-178.8 cm
Width	56-57 cm
Depth	min. 55 cm
Features	
Interface	SmartDeviceBox: optional accessory
Door hinges	right, reversible
EAN-Nr.	4016803043256





LIEBHERR FREEZER with Icemaker SIFN e 5188

177 x 56-57 x 55cm



_					_				
No Frost	LED	lce Tower	lce Maker	Soft System	Telescopic Rails	Touch & Swipe- Display	Vario Space	Super Frost	Smart Device ready

Туре	Fixed door / Built-in appliance for integrated use
Energy efficiency class	E
Energy consump. in 365 days/24 h	237 / 0.649 kWh
Total volume	213 [1
Noise output / noise class	35 dB(A) / B, SuperSilent
Climate rating	SN-T (+10 °C to +43 °C)
Frequency / voltage	50-60 Hz / 220-240 V~
Connection Rating	1.3 A 186 W
Aperture dimensions in cm (h / w / d)	177.2-178.8 / 56-57 / min. 55
Controls	
Type of Control	2.4" TFT-colour display, touch- & swipe
Interface	SmartDeviceBox: optional accessory
Door alarm	visual and acoustic
Alarm in case of malfunction	visual and acoustic
Freezer compartment	
Star coding	****
Interior light	LED lighting
Number of drawers	8 drawers, of which 5 set on telescopic rails, VarioSpace
IceMaker	with fixed 3/4" water connection, LED lighting
Ice cube capacity in 24 hours	0.8 kg
Ice cube stock	5.7 kg
Freezing capacity in 24 hours	10 kg
Temperature rise time	9 h
VarioSpace	yes
Cold storage accumulators	2
Features	
Side-by-Side concept	Side-panel heating on both sides, suitable for combination
	with other fridges, freezers and/or wine appliances
Door hinges	Reversible door hinge, left
Replaceable door seal	yes
EAN-Nr.	4016803079392

Price without Cupboards (Freezer ONLY)	Price with Cupboards
R 57 588	R 49 909
Incl. VAT	Incl. VAT



LIEBHERR FREEZER with No Icemaker SIFN e 5108

177 x 56-57 x 55cm





Туре	Fixed door / Built-in appliance for integrated use
Energy efficiency class	$\langle A^* \rangle$
Energy consump. in 365 days/24 h	307 kWh
Total net capacity	209 l
Climate rating	SN-T (+10 °C to +43 °C)
Frequency / voltage	50-60 Hz / 220-240 V~
Connection Rating	1.3 A 186 W
Aperture dimensions in cm (h / w / d)	177.2-178.8 / 56-57 / min. 55
Controls	
Type of Control	LC monochrome display, touch electronic
	Digital temperature display
Door alarm	visual and acoustic
Alarm in case of malfunction	visual and acoustic
Freezer compartment	
Star coding	****
Number of drawers	8 drawers on integrated drawer guide, VarioSpace
VarioSpace	yes
Features	
Side-by-Side concept	Side-panel heating on both sides, suitable for combination
	with other fridges, freezers and/or wine appliances
Door hinges	Reversible door hinge, left
Replaceable door seal	yes
EAN-Nr.	4016803115533

Price without Cupboards (Freezer ONLY)	Price with Cupboards
R 41 988	R 36 389
Incl. VAT	Incl. VAT









Features Defrost auto Manufacturer Whirlpool Model Number 5GI6FARAF Refrigerator Type French Door

Specifications Net Cabinet (inches): H 68 5/8 x W 35 5/8 x D 32 7/8 Net Cabinet (cm): H 174.3 x W 90.5 x D 82.9 Net w/Door (inches): H 70 1/8 x W 35 5/8 x D 35 (handlo)

(inches): H 70 1/8 x W 35 5/8 x D 35 (handle) Gross (inches): H 71.5 x W 39 x D 37.5 Gross Weight 159 kg/350 lbs Voltage: 220-240 volts 50/60 Hertz



BOSCH INTEGRATED FRIDGE KIF42P60



R 25 298

No Frost systemAutomatic defrost (fridge)Noise level40 dBFridge net capacity302 LFridge gross capacity320 LClimate classSN-T





BOSCH INTEGRATED FREEZER GIN38P60





Colour White

Door opening Left reversible

Door panel options Not possible

Door handle type no handle

Type of control setting and signalling devices Super setting for freezer, Warning function freezer sect., Warning signal door open

Energy efficiency A++

Energy consumption annual - NEW (2010/30/EC) 242.00 kWh/annum

Noise level 42 dB(A) re 1 pW

Capacity 210 I

Total unit gross capacity 237 l









ENERGY CONSUMPTION OF THE "Eco 50°" PROGRAM 0.92 kWh POWER CONSUMPTION IN LEFT-ON MODE 1.08 W POWER CONSUMPTION IN OFF MODE 0.40 W

Water consumption 2520 l per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.

Drying efficiency class A on a scale from G (least efficient) to A (most efficient).

The "Eco 50°" is the standard cleaning cycle to which the information in the label and the fiche relates. This program is suitable to clean normally soiled tableware, and it is the most efficient program in terms of combined energy and water consumption.

CYCLE TIME FOR THE Eco 50° PROGRAM 230 min DURATION OF LEFT-ON MODE 3 min NOISE LEVEL dB(A) re 1 pW 44 TYPE OF INSTALLATION Free-standing



BOSCH WASHING MACHINE WAJ20185ZA



Built-in / Free-standing Free-standing

Main colour of product Silver inox

List of programmes Delicates programme, Easy-care programme, Whites and coloureds programme, Woollens hand wash programme

Wash optimization

allergy plus, curtain, dark laundry, Drum Clean, Duvet, end time delay, Family Mix, Quick 15'/30', Reduced Ironing, shirts/blouses, Spin Speed Reduction, sportswear, start/pause with reload function, Temperature Selection

Noise level - Washing 50

Noise level - Spinning 74

Water protection system Multiple water protection

Removable top No

Loading capacity 8.0 kg

Max. spin speed 1,200 rpm

Door hinge Left



