

Appliances

LIEBHERR

Whirlpool
CORPORATION

SIEMENS **BOSCH**



THE KITCHEN STUDIO

LIEBHERR


FRIDGE - FREEZER

ICBN 3356

177 x 55.9 x 54.4cm

R 39 900

Incl. VAT



The BioCool-Box allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. It is convenient-to-use and it ensures that stored food is clear visibility.



The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.



Accurate and independent temperature control of the fridge and freezer compartments is facilitated by DuoCooling : two separately adjustable cooling circuits. There is no air exchange between the fridge and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.

Drawers mounted on telescopic rails

The drawers extend on smooth-running telescopic rails and can be conveniently removed at a door opening angle of 90°.

GlassLine door interior with VarioBoxes

The GlassLine door shelves feature a satin-finished safety glass base, elegantly shaped plastic edging, stainless steel trims, as well as bottle and jar storage with adjustable holders for extra safety. The two removable VarioBoxes are perfect for sorting and storing smaller items in a clearly visible manner. A drawer stop ensures that the VarioBoxes are secure and that they are not dislodged when items are accessed.



LIEBHERR

FRIDGE - FREEZER

ICN 3376

177 x 55.9 x 54.4cm

R 39 900

Incl. VAT



The BioCool-Box allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. It is convenient-to-use and it ensures that stored food is clear visibility.



The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.



Accurate and independent temperature control of the fridge and freezer compartments is facilitated by DuoCooling: two separately adjustable cooling circuits. There is no air exchange between the fridge and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.

Drawers mounted on telescopic rails

The drawers extend on smooth-running telescopic rails and can be conveniently removed at a door opening angle of 90°.

GlassLine door interior with VarioBoxes

The GlassLine door shelves feature a satin-finished safety glass base, elegantly shaped plastic edging, stainless steel trims, as well as bottle and jar storage with adjustable holders for extra safety. The two removable VarioBoxes are perfect for sorting and storing smaller items in a clearly visible manner. A drawer stop ensures that the VarioBoxes are secure and that they are not dislodged when items are accessed.



LIEBHERR

FRIDGE - FREEZER

IKBV 3264 with ice cube tray

R 24 573

Incl. VAT

177 x 55.9 x 56.4cm x 55cm



The BioCool-Box allows regulation of the humidity level within the fridge compartment so that food keeps fresh for longer. It is convenient-to-use and it ensures that stored food is clear visibility.



The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.



Accurate and independent temperature control of the fridge and freezer compartments is facilitated by DuoCooling: two separately adjustable cooling circuits. There is no air exchange between the fridge and freezer compartment, so that odours cannot be transferred and the stored food is prevented from drying out.

Drawers mounted on telescopic rails

The drawers extend on smooth-running telescopic rails and can be conveniently removed at a door opening angle of 90°.

GlassLine door interior with VarioBoxes

The GlassLine door shelves feature a satin-finished safety glass base, elegantly shaped plastic edging, stainless steel trims, as well as bottle and jar storage with adjustable holders for extra safety. The two removable VarioBoxes are perfect for sorting and storing smaller items in a clearly visible manner. A drawer stop ensures that the VarioBoxes are secure and that they are not dislodged when items are accessed.



Whirlpool

CORPORATION

FRIDGE 5GI6FARAF



Features

Defrost auto
Manufacturer Whirlpool
Model Number 5GI6FARAF
Refrigerator Type French Door

Specifications Net Cabinet (inches):

H 68 5/8 x W 35 5/8 x D 32 7/8 Net Cabinet
(cm): H 174.3 x W 90.5 x D 82.9 Net w/Door
(inches): H 70 1/8 x W 35 5/8 x D 35 (handle)
Gross (inches): H 71.5 x W 39 x D 37.5 Gross
Weight 159 kg/350 lbs Voltage: 220-240
volts 50/60 Hertz



BOSCH

INTEGRATED

FRIDGE KIF42P60



No Frost system	
Automatic defrost (fridge)	
Noise level	40 dB
Fridge net capacity	302 L
Fridge gross capacity	320 L
Climate class	SN-T



BOSCH

INTEGRATED FREEZER GIN38P60



Colour
White

Door opening
Left reversible

Door panel options
Not possible

Door handle type
no handle

Type of control setting and signalling devices
Super setting for freezer, Warning function freezer sect.,
Warning signal door open

Energy efficiency
A++

Energy consumption annual - NEW (2010/30/EC)
242.00 kWh/annum

Noise level
42 dB(A) re 1 pW

Capacity
210 l

Total unit gross capacity
237 l



BOSCH

FRIDGE KIS87AFE0



Whirlpool

CORPORATION

DISHWASHER

ADP 7570 IX



ENERGY CONSUMPTION OF THE "Eco 50°" PROGRAM 0.92 kWh
POWER CONSUMPTION IN LEFT-ON MODE 1.08 W
POWER CONSUMPTION IN OFF MODE 0.40 W

Water consumption 2520 l per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.

Drying efficiency class A on a scale from G (least efficient) to A (most efficient).

The "Eco 50°" is the standard cleaning cycle to which the information in the label and the fiche relates. This program is suitable to clean normally soiled tableware, and it is the most efficient program in terms of combined energy and water consumption.

CYCLE TIME FOR THE Eco 50° PROGRAM 230 min
DURATION OF LEFT-ON MODE 3 min
NOISE LEVEL dB(A) re 1 pW 44
TYPE OF INSTALLATION Free-standing



BOSCH

DISHWASHER

SMV4HKX022



Built-in / Free-standing
Built-in

Installation typology
Full-integrated

Removable top
No

Variable hinge for special installation situations
No

Adjustable plinth
Both horizontal and vertical

Glass protection techn.
Yes

Water consumption
9.5 l

Maximum number of place settings
12

List of programmes
Auto 45-65°C, Custom program, Delicate, Eco, Intensive, Quick L

Additional operational options
Extra dry, HygienePlus, Machine Care Programme, Remote control, Vario Speed Plus

Type of control setting and signalling devices
push-button

Drying system
Heat exchanger

Cutlery system
Cutlery basket

Water softener
Yes

Water protection system
Total system



BOSCH

WASHING MACHINE

WAJ20185ZA



Built-in / Free-standing
Free-standing

Main colour of product
Silver inox

List of programmes
Delicates programme, Easy-care programme,
Whites and coloureds programme,
Woollens hand wash programme

Wash optimization
allergy plus, curtain, dark laundry, Drum Clean,
Duvet, end time delay, Family Mix, Quick 15'/30',
Reduced Ironing, shirts/blouses, Spin Speed
Reduction, sportswear, start/pause with
reload function, Temperature Selection

Noise level - Washing
50

Noise level - Spinning
74

Water protection system
Multiple water protection

Removable top
No

Loading capacity
8.0 kg

Max. spin speed
1,200 rpm

Door hinge
Left

